## Mathematical Foundations of Computer Science

CS 499, Shanghai Jiaotong University, Dominik Scheder

## 7 The Graph Score Theorem

- Homework assignment published on Monday, 2018-04-09.
- Submit questions and first solution by Sunday, 2018-04-15, 12:00 by email to dominik.scheder@gmail.com and the TAs.
- You will receive feedback by Wednesday, 2018-04-18.
- Submit your final solution by Sunday, 2018-04-22 to me and the two TAs.

**Exercise 7.1.** Describe, in simple sentences with a minimum of mathematical formalism, (1) the score of a graph, (2) what the graph score theorem is, (3) the idea of the graph score algorithm, (4) where the difficult part of its proof is. Imagine you have a friend who does not take this class, and think about how to answer the above questions to them.

## 7.1 Alternative Graphs

Now we will look at different notions of graphs. As defined in class and in the video lectures, a graph is a pair G = (V, E) where V is a (usually finite) set, called the *vertices*, and  $E \subseteq \binom{V}{2}$ , called the set of *edges*.

**Multigraphs.** A *multigraph* is like a graph, but you can have several parallel edges between two vertices. You cannot, however, have self-loops. That is, there cannot be an edge from u to u itself. This is an example of a multigraph:



We can define degree and score for multigraphs, too. For example, this multigraph has score (4, 4, 2). Obviously no graph can have this score.

**Exercise 7.2.** State a score theorem for multigraphs. That is, something like

**Theorem 7.3** (Multigraph Score Theorem). Let  $(a_1, \ldots, a_n) \in \mathbb{N}_0^n$ . There is a multigraph with this score if and only if <fill in some simple criterion here>.

**Remark.** This is actually simpler than for graphs.

Exercise 7.4. Prove your theorem.

Weighted graphs. A weighted graph is a graph in which every edge e has a non-negative weight  $w_e$ . In such a graph the weighted degree of a vertex u is wdeg $(u) = \sum_{\{u,v\}\in E} w_{\{u,v\}}$ .



This is an example of a weighted graph, which has score (3, 2, 2). Obviously no graph and no multigraph can have this score.

**Exercise 7.5.** State a score theorem for weighted graphs. That is, state something like

**Theorem 7.6** (Weighted Graph Score Theorem). Let  $(a_1, \ldots, a_n) \in \mathbb{R}_0^n$ . There is a weighted graph with this score if and only if <fill in some simple criterion here>.

**Remark.** This is actually even simpler.

Exercise 7.7. Prove your theorem.

Allowing negative edge weights. Suppose now we allow negative edge weights, like here:



This "graph with real edge weights" has score (2, 0, 0). This score is impossible for graphs, multigraphs, and weighted graphs with non-negative edge weights.

**Exercise 7.8.** State a score theorem for weighted graphs when we allow negative edge weights. That is, state a theorem like

**Theorem 7.9** (Score Theorem for Graphs with Real Edge Weights). Let  $(a_1, \ldots, a_n) \in \mathbb{R}^n$ . There is a graph with real edge weights with this score if and only if <fill in some simple criterion here>.

Exercise 7.10. Prove your theorem.

**Exercise 7.11.** For each student ID  $(a_1, \ldots, a_n)$  in your group, check whether this is (1) a graph score, (2) a multigraph score, (3) a weighted graph score, or (4) the score of a graph with real edge weights.

Whenever the answer is *yes*, show the graph, when it is *no*, give a short argument why.

**Example Solution.** My work ID is 50411. This is a weighted graph score, as shown by this picture:



This settles (3). It is not a multigraph score, because BLABLABLA. I won't give more details, as it might give too many hints about Exercise 7.2. Alright, this settles (2). Note that I do *not* need to answer (4), as this is already answered by (3). Neither do I need to answer (1), as a "no" for (2) implies a "no" for (1).